

Round bar, mill finish

- 17 -

Drawn, complies with DIN 671 (ISO h9)

DIN EN 10278

Drawn and polished / finished and polished, complies with DIN 670 (ISO h8) / DIN 59361 (ISO h6)

Length = approx. 3.0-3.2 m

Test certificate EN 10204/3.1


Dimensions	kg/mtr.	Mat. no. 1.4021	Mat. no. 1.4112	Mat. no. 1.4122	Mat. no. 1.4104	Mat. no. 1.4301	Mat. no. 1.4305	Mat. no. 1.4404	Mat. no. 1.4435	Mat. no. 1.4542
2.0	0.025					x	x			
2.5	0.039				x	x				
3.0	0.056				x	x	x	x	x	
3.5	0.076					x	x			
4.0	0.099				x	x	x	x	x	
4.5	0.125				x	x	x			
5.0	0.154	x	x		x / h8	x	x	x	x	
6.0	0.222	x	x / h8		x / h8	x ¹⁾	x / h8	x	x	
7.0	0.302	x	x		x / h8	x	x / h8	x	x	
8.0	0.392	x	x		x / h8	x ¹⁾	x	x	x	
9.0	0.499	x				x	x			
10.0	0.617	x	x		x / h8	x ¹⁾ / h6	x	x / h6	x	
11.0	0.746	x			x	x	x			
12.0	0.888	x	x		x / h8	x ¹⁾ / h6	x / h8	x / h6	x	
13.0	1.042	x	x		x	x	x	x	x	
14.0	1.208	x	x	x	x	x ¹⁾	x	x		
14.1	1.230				x					
15.0	1.387	x	x		x	x ¹⁾ / h6	x	x / h6	x	
15.1	1.410				x					
16.0	1.578	x		x	x / h8	x ¹⁾ / h6	x	x / h6	x	
16.1	1.600				x					
17.0	1.782				x	x	x	x		
18.0	1.998	x			x	x ¹⁾	x	x	x	
20.0	2.446	x	x		x / h8	x ¹⁾ / h6	x	x / h6	x / h6	
22.0	2.984	x			x	x / h6	x	x		
23.0	3.262				x	x	x			
24.0	3.551				x	x	x	x		
25.0	3.853	x	x	x	x	x ¹⁾ / h6	x ²⁾	x / h6	x / h6	
26.0	4.168				x		x	x	x	
27.0	4.495					x	x			
28.0	4.834				x	x	x	x		
30.0	5.549	x	x	x	x	x ¹⁾ / h6	x ²⁾	x / h6	x	
31.0	5.920					x				

¹⁾ Also in stock in lengths of 6.0 m!

²⁾ Also in stock with an f8 tolerance field and length of approx. 4.0 m!

Other grades and dimensions available from factory inventory!

Round bar, mill finish



- 18 -

Drawn, complies with DIN 671 (ISO h9)

DIN EN 10278

Drawn and polished / finished and polished, complies with DIN 670 (ISO h8) / DIN 59361 (ISO h6)

Length = approx. 3.0-3.2 m

Test certificate EN 10204/3.1

Dimensions	kg/mtr.	Mat. no. 1.4021	Mat. no. 1.4112	Mat. no. 1.4122	Mat. no. 1.4104	Mat. no. 1.4301	Mat. no. 1.4305	Mat. no. 1.4404	Mat. no. 1.4435	Mat. no. 1.4542
32.0	6.313	x				x	x	x		
34.0	7.127				x	x	x			
35.0	7.553	x	x	x	x	x ¹⁾ / h6	x	x / h6	x	
36.0	7.990					x	x			
38.0	8.903				x	x	x	x		
40.0	9.865	x	x	x	x	x ¹⁾ / h6	x ²⁾	x / h6	x	
42.0	10.880				x	x	x	x		
45.0	12.480	x	x	x	x	x	x	x	x	
50.0	15.410	x	x	x ¹⁾ / h6	x	x ¹⁾ / h6	x	x / h6	x	
55.0	18.650	x			x	x	x	x	x	
58.0	20.730							x		
60.0	22.200	x			x	x ¹⁾	x	x	x / h6	
65.0	26.050	x			x	x	x	x	x	
70.0	30.210	x			x	x ¹⁾	x	x	x	
75.0	34.680					x	x	x		
80.0	39.460					x	x	x	x / h8	
85.0	44.500					x		x		
90.0	49.940							x		
100.0	61.650							x		

¹⁾ Also in stock in lengths of 6.0 m!

²⁾ Also in stock with an f8 tolerance field and length of approx. 4.0 m!

Other grades and dimensions available from factory inventory!

Notes

